

LED Garden Light

30W/40W/50W/60W

D style



U style



Applicable cover





(Lamp holder: E26/E27/E39/E40)



General illumination

Reduces lumen maintain flux and working life if used in sealed lamp fixtures. ①

Applications



Features



- Specially designed for indoor and outdoor lighting. This lamp could replace the traditional lamp directly. suitable for different traditional light fixture with easy installation.
- Die-cast aluminum for heat dissipation, no fan design, Natural ventilation cooling system to accelerate heat dissipation
- High-luming LED 2835SMD, lamp light efficiency up to 140-150lm /W, Long life.
- Electric energy into light energy utilization rate of more than 80%, than traditional tube light save electricity above 70%;
- Wide voltage input design, No RF interference, No IR/UV radiation, No mercury pollution.
- Widely replace the CFL/MH/HID/HPS. Applied to the Canopy Lighting, Garden Lighting, Road Lighting etc.



Beam angle (50%)



Light down



Parameter

Base	E26/E27	E39/E40
Overall length	166mm	178mm
Diameter	141mm	
N. W	780g	800g

Model	Power	Lumens (LM)	Voltage	Luminous Eff.	CCT(K)	Dim. (E39)	CRI	SMD	Weight	IP Rate
NS-GLA30W-01C-D NS-GLA30W-01C-U	30W	4200LM ±300LM	AC100-277V	140lm/W	2500-7000K	Ø141x178mm Ø5.55x7in	>80	2835	0.8Kg	IP64
NS-GLA40W-01C-D NS-GLA40W-01C-U	40W	5600LM ±300LM	AC100-277V	140lm/W	2500-7000K	Ø141x178mm Ø5.55x7in	>80	2835	0.8Kg	IP64
NS-GLA50W-01C-D NS-GLA50W-01C-U	50W	7000LM ±500LM	AC100-277V	140lm/W	2500-7000K	Ø141x178mm Ø5.55x7in	>80	2835	0.8Kg	IP64
NS-GLA60W-01C-D NS-GLA60W-01C-U	60W	8400LM ±500LM	AC100-277V	140lm/W	2500-7000K	Ø141x178mm Ø5.55x7in	>80	2835	0.8Kg	IP64

Logistical Data

Package





The package box will be used according to the package condition



Packaging unit (Pieces/Unit)	Dimensions	Gross weight	Volume
Small box 1	17*17*22cm	0.9Kg	0.006m ³
Outer Carton 18	52.5*52.5*47cm	18Kg	0.13m ³

Installation

Replace CFL




Replace HPS/HID/MH



LED Corn lamp

HPS/HID/MH

30W	=	100W
40W		135W
50W		175W
60W		200W



Material