

Tunable LED Troffer Light (5Power+5CCT)

Wattages: 15W, 20W, 25W, 30W, 35W, 40W, 50W, 60W, 72W



This troffer is field-adjustable, and can be programmed with a 5CCT tunable, eliminating the need to stock multiple color temperatures. Ideal use for office spaces, walkways, schools/campuses, shopping centers, hospitality and health care industry. Ideal use for office spaces, walkways, schools/campuses, shopping centers, hospitality and health care industry.

Product Features:

★ CONSTRUCTION

Constructed of one-piece ribbed unitized housing and corners that interlock, preventing damage to luminaire. All sides and corners are turned in and hemmed removing sharp edges for safe handling and installation.

★ ELECTRICAL

Luminaire is built with the highest quality 120-277VAC drivers.

★ OPTICAL SYSTEM

Designed to reduce glare and improve light distribution through precision formed

★ DIMMING

0-10V dimmable standard.

★ LISTING

ETL Listed, FCC, RoHS, CE

★ WARRANTY

5 Years Limited Warranty, Rated for 50,000 hours (Refer to your warranty documentation for more information.)

5 Power + 5 CCT selectable:

SPECIFICATION			
MODEL	CL-TRF14-TCP40W-CCT-[Blank,A,B]	CL-TRF22-TCP40W-CCT-[Blank,A,B]	CL-TRF24-TCP72W-CCT-[Blank,A,B]
WATTAGE	15/20/25/30/40W	20/25/30/35/40W	30/40/50/60/72W
CCT	3500K/4000K/5000K/5700K/6500K (1X4)		3000K/3500K/4000K/5000K/6500K
EFFICACY	Up to 130LPW		
CRI	Ra 80		
INPUT VOLTAGE	AC120-277V		
DISTRIBUTION	120°		
POWER FACTOR	>0.9		
DRIVER EFFICACY	>85%		
DIMMING	0-10Vdc		
LIFE SPAN	over 50,000 hrs		
WORKING TEMPERATURE	-4°F~113°F		
STORAGE TEMPERATURE	-40°F~158°F		
OUTDOOR RATING	IP40, Suitable for damp locations		
WARRANTY	5 year limited		

Tunable LED Troffer Light (5Power+5CCT)

Wattages: 15W, 20W, 25W, 30W, 35W, 40W, 50W, 60W, 72W


Images:



Product Dimension:

	Packing	Size	Net Weight	Gross Weight	pcs/ctn
1x4FT	Outer Packing Size	L49.41"*W13.58"*H4.72" L1255*W345*H120*mm	12.35Lbs(5.6Kg)	14.33Lbs(6.5Kg)	2pcs/ctn
2x2FT	Outer Packing Size	L25.39"*W25.39"*H4.72" L645*W645*H120mm	22Lbs(10Kg)	26Lbs(12Kg)	4pcs/ctn
2x4FT	Outer Packing Size	L49.41"*W25.39"*H4.72" L1255*W645*H120mm	45Lbs(20Kg)	50Lbs(22Kg)	4pcs/ctn

Power tunable and CCT switchable available:




Tunable LED Troffer Light (5Power+5CCT)

Wattages: 15W, 20W, 25W, 30W, 35W, 40W, 50W, 60W, 72W


DISTRIBUTION

For complete IES files, please visit our website.


CL-TRF14-TCP40W-CCT (@ 40W @ 5000K)



CL-TRF22-TCP40W-CCT (@ 40W @ 5000K)



CL-TRF24-TCP72W-CCT (@ 50W @ 5000K)



Tunable LED Troffer Light (5Power+5CCT)

Wattages: 15W, 20W, 25W, 30W, 35W, 40W, 50W, 60W, 72W

Applications

